

docker-jitsi

- `git clone https://softmagic.tistory.com/92`
- `git clone https://github.com/jitsi/docker-jitsi-meet` && `cd docker-jitsi-meet`
- `sudo cp env.example .env`
- `sudo ./gen-passwords.sh`
- `config`
 - `sudo mkdir -p /data1/jitsi/docker-jitsi-meet/.jitsi-meet-cfg/{web/letsencrypt,transcripts,prosody/config,prosody/prosody-plugins-custom,jicofo,jvb,jigasi,jibri}`
- `SSL`
 - `sudo mkdir -p .jitsi-meet-cfg/web/keys/`
 - `sudo cp /etc/apache2/ssl/ectech.co.kr_202003113US6.crt.pem .jitsi-meet-cfg/web/keys/cert.crt`
 - `sudo cp /etc/apache2/ssl/ectech.co.kr_202003113US6.key.pem .jitsi-meet-cfg/web/keys/cert.key`
- `.env`
 - `HTTP_PORT=31080`
 - `HTTPS_PORT=31443`
 - `TZ=Asia/Seoul`
 - `PUBLIC_URL=https://ectech.co.kr:31001`
 - `CONFIG=/data1/jitsi/docker-jitsi-meet/.jitsi-meet-cfg`
 - `ENABLE_AUTH=1 # Enable authentication`
 - `ENABLE_GUESTS=1 # Enable guest users`

- `AUTH_TYPE=internal` # `ldap` `ldap` `ldap` (internal : `ldap` `ldap` `ldap`, ldap)
- `10000` `UDP` – for general network video/audio communications
- `3478` `UDP` – for quering the stun server (coturn, optional, needs config.js change to enable it)
- `5347` `TCP` – for fallback network video/audio communications over TCP (when UDP is blocked for example), served by coturn
- `#` `docker-compose up -d`
- `#` `docker-compose -f docker-compose.yml -f etherpad.yml up`
- `#` `jitsi` `docker-compose -f docker-compose.yml -f jigasi.yml -f jibri.yml up`
- `https://:31443`
- `docker exec -it dockerjitsimeet_prosody_1 /bin/bash`
- `prosodyctl -config /config/prosody.cfg.lua register meet.jitsi`
- `..`
 - `.env`
 - `/.jitsi-meet-cfg/web/`
 - `config.js`
 - `interface_config.js`
- <https://blog.daum.net/sakwon/283>
- <https://blog.daum.net/sakwon/294>